

LINK/LINK+


MULTI-COMPRESSOR REFRIGERATION SYSTEM



LINK

LINK+

LINK LOW PROFILE



®

Designed For and Built in North America

PEAK PERFORMANCE AND ENERGY EFFICIENCY THROUGH UNPRECEDENTED CUSTOMIZATION.

Link and Link+ systems redefine flexibility in commercial refrigeration solutions.

Each system is custom designed from the ground up to meet your specific application need. This allows for the delivery of a ruggedly constructed design that maximizes system performance, energy savings and serviceability.

LINK INDOOR COMPRESSOR PACKS

Link indoor units provide a conveniently centralized package for compressors, electrical and controls, allowing for maximized merchandizing space. Pair it with selections from our complete line of companion products to create the ultimate system.

LINK+ OUTDOOR CONDENSING UNITS

Link+ outdoor units combine elements found in the indoor unit with condenser components together into a single package featuring our industry leading weather resistant housing.



CENTRALIZED PIPING AND ELECTRICAL



FLEXIBLE REFRIGERATION CONNECTIONS



ELECTRICAL/CONTROL PANELS






MULTIPLE COMPRESSORS

FEATURES AND BENEFITS


- Remote Circuit Panel for Defrost and Lighting Control
- Compact design of the Link indoor unit offers a minimized footprint while delivering maximized merchandizing space – Fits through standard commercial door openings
- Optional energy management systems allow for staging compressor run times based on demand
- Reduced refrigerant charges
- Design flexibility allows for strategic placement of equipment
- Substantial energy savings
- Consolidated electrical layout provides for significantly reduced electrical installation costs
- Multiple compressors can be tied into common suction groups
- Rugged construction helps reduce sound levels
- Available with a wide variety of options
- Service friendly

LINK INDOOR COMPRESSOR PACKS



HORIZONTAL - TYPICAL SCROLL COMPRESSOR CONFIGURATIONS

MODEL	4 SCROLL	6 SCROLL	8 SCROLL
LOW PROFILE" WITH ONE PANEL	41" W × 29" D × 50" H	55" W × 29" D × 50" H	69" W × 29" D × 50" H
LOW PROFILE" WITH TWO PANELS	50" W × 29" D × 50" H	64" W × 29" D × 50" H	78" W × 29" D × 50" H



VERTICAL - TYPICAL SCROLL COMPRESSOR CONFIGURATIONS

MODEL	LENGTH	WIDTH	HEIGHT	SHIP WEIGHT
4 COMPRESSOR	30"	29 1/8"	79"	1,500 lbs
6 COMPRESSOR	46 1/2"	29 1/8"	79"	2,000 lbs
8 COMPRESSOR	60"	29 1/8"	79"	2,500 lbs

MEDIUM TEMP		R404A / 110F SCT		R407A / 110F SCT	
HP	MODEL	+15F	+25F	+15F	+25F
3.0	ZB21KCE*	22200	27100	20700	26100
3.5	ZB26KCE	25800	31600	23300	29100
4.0	ZB30KCE*	29600	36200	29100	36600
5.0	ZB38KCE*	37000	45200	35700	44900
6.0	ZB45KCE*	43900	53500	40800	51500
6.5	ZB48KCE	49800	61000	46200	58500
7.5	ZB57KCE*	56500	69000	55000	69500

LOW TEMP		R404A / 105F SCT		R407A / 105F SCT	
HP	MODEL	+15F	+25F	+15F	+25F
3.0	ZF09K4E	11600	9260	10200	7780
3.5	ZF11K4E	14500	11500	12700	9670
4.5	ZF13K4E+	16600	13000	14400	10900
5.5	ZF15K4E	20400	16200	17750	13600
6.0	ZF18K4E+	24700	19700	21400	16500
7.5	ZF25K4E+	30700	24200	26900	20600

*Indicates Digital Available +Indicates Digital/ Vapor Injection (KVE)

FEATURES AND BENEFITS

- Compatible with many GWP refrigerants: For R404A, R507, R407A, R407C, R407F, R448, R449A
- Flexible Mounting Options - No mechanical room required
- CPC, Microthermo, Danfoss, PLCs and other controllers supported
- Multiple Suction Groups
- Compatible with air and water cooled condensers.
- Compatible with Trenton Remote Headers
- Remote Panel Available for Refrigeration and Defrost Control

WE HAVE A FULL LINE OF CUSTOM REFRIGERATION SOLUTIONS.

From parallel systems to remote headers, we have the experience and technologies to deliver a fully customized solution for your application.

Visit us at t-rp.com/mcu for more details



LINK+ OUTDOOR CONDENSING UNITS

FEATURES AND BENEFITS

- Compatible with most GWP refrigerants. For R404A, R507, R407A, R407C, R407F, R448A, R449A
- CPC, Microthermo, Danfoss, PLCs and other controllers supported
- Multiple Suction Groups
- Compatible Trenton Remote Headers
- Remote Panel Available for Refrigeration and Defrost Control



MULTIPLE COMPRESSORS IN CABINET WITH CONDENSER ATTACHED

CHECK OUT OUR VIDEOS

Watch our video to learn more about the versatility and convenience of Trenton's Link/Link+.

t-rp.com/link



ELECTRICAL/CONTROL PANELS



REFRIGERATION CIRCUITS UNDER LINK+ CONDENSER



PARALLEL PIPED SCROLL COMPRESSORS



Leading The Way in Quality and Value

TRENTON REFRIGERATION
Brantford, ON - Longview, TX

Phone: (519) 751-0444 or 1-800-463-9517 Fax: (519) 753-1140

Available Exclusively from



1-888-578-9100

For more information about product lines go to: www.t-rp.com

Due to National Refrigeration's policy of continuous product improvement, we reserve the right to make changes without notice.

T-LINK-01
1090858
28/03/18