

**Annual Walk-In Energy Factor Ratings - High/Medium Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model: " This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model TEZA	Outdoor Models				Indoor Models			
	R404A R507	R407A	R448A	R407C	R404A R507	R407A	R448A	R407C
TEZA007H8	7.6	–	7.6	–	–	–	–	–
TEZA008H8	7.6	7.6	7.6	–	–	–	–	–
TEZA009H8	7.6	7.6	7.6	7.6	–	–	–	–
TEZA010H8	7.6	7.6	7.6	–	–	–	–	–
TEZA011H8	7.6	7.6	7.6	–	–	5.61	5.61	–
TEZA015H8	7.6	7.6	7.6	7.6	–	5.61	–	–
TEZA020H8	7.6	7.6	7.6	7.6	–	–	–	–
TEZA025H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA030H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA035H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA040H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA045H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA050H8	7.6	7.6	7.6	7.6	–	5.61	5.61	5.61
TEZA060H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA061H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA070H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA076H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA076H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA085H8	7.6	7.6	7.6	7.6	–	5.61	5.61	5.61
TEZA110H8	7.6	7.6	7.6	7.6	5.61	5.61	5.61	5.61
TEZA150H8	7.6	7.6	7.6	7.6	–	–	5.61	5.61

– = Non-compliant model For R449A, use R448A data.

**Annual Walk-In Energy Factor Ratings - Low Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model: " This refrigeration system is designed and certified for use in walk-in freezer applications."

Base Unit Model TEZA	Outdoor Models				Indoor Models			
	R404A R507	R407A	R448A	R407C	R404A R507	R407A	R448A	R407C
TEZA008L8	2.88	2.87	2.88	–	–	–	–	–
TEZA010L8	2.93	2.91	2.92	–	–	–	–	–
TEZA015L8	2.97	2.94	2.96	–	–	–	–	–
TEZA020L8	3.08	3.06	3.07	–	–	–	–	–
TEZA025L8	3.15	3.15	3.15	–	–	–	–	–
TEZA030L8	3.15	3.15	3.15	–	–	–	–	–
TEZA035L8	3.15	3.15	3.15	–	–	–	–	–
TEZA045L8	3.15	3.15	3.15	–	2.4	–	–	–
TEZA055L8	3.15	3.15	3.15	–	2.4	–	–	–
TEZA060L8	3.15	3.15	3.15	–	2.4	–	–	–
TEZA075L8	3.15	3.15	3.15	–	2.4	–	–	–
TEZA085L8	3.15	3.15	3.15	–	2.4	–	–	–
TEZA100L8	3.15	3.15	3.15	–	2.4	–	2.4	–
TEZA130L8	3.15	3.15	3.15	–	2.4	–	2.4	–
TEZA150L8	3.15	3.15	3.15	–	2.4	–	2.4	–
TEZA170L8	3.15	3.15	3.15	–	2.4	–	2.4	–

– = Non-compliant model For R449A, use R448A data.

web: [www.t-rp.com/tez](http://www.t-rp.com/tez)  
 email: [smcu@t-rp.com](mailto:smcu@t-rp.com)  
 call: 1-844-893-3222 x521

**Annual Walk-In Energy Factor Ratings - High/Medium Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model: " This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model TEH	Outdoor Models			Indoor Models		
	R404A R507	R407A	R448A	R404A R507	R407A	R448A
TEHT006M8	7.60	–	–	–	–	–
TEHA015M8	7.60	7.60	7.60	–	–	–
TEHA020M8	7.60	7.60	7.60	–	–	–
TEHA025M8	7.60	7.60	7.60	5.61	5.61	5.61
TEHA030M8	7.60	7.60	7.60	5.61	–	5.61
TEHA035M8	7.60	7.60	7.60	5.61	–	5.61

– = Non-compliant model  
For R449A, use R448A data.

**Annual Walk-In Energy Factor Ratings - Low Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model: " This refrigeration system is designed and certified for use in walk-in freezer applications."

Base Unit Model TEH	Outdoor Models			Indoor Models		
	R404A R507	R407A	R448A	R404A R507	R407A	R448A
TEHA006L6	2.83	–	–	–	–	–
TEHA008L6	2.85	–	–	–	–	–
TEHA010L6	2.88	–	–	–	–	–
TEHA015L6	2.96	–	–	–	–	–
TEHA020L6	2.97	–	–	–	–	–
TEHA025L6	3.12	–	–	–	–	–

– = Non-compliant model  
For R449A, use R448A data.



web: [www.t-rp.com/teh](http://www.t-rp.com/teh)  
 email: [smcu@t-rp.com](mailto:smcu@t-rp.com)  
 call: 1-844-893-3222 x521

**Annual Walk-In Energy Factor Ratings - COPELAND - High/Medium Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model: " This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model TESA	Outdoor Models				Indoor Models			
	R404A R507	R407A	R448A	R407C	R404A R507	R407A	R448A	R407C
	TESA050H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61
TESA051H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESA075H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESA077H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESA080H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESA100H8	7.60	7.60	7.60	7.60	-	5.61	5.61	5.61
TESA120H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESA150H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESA200H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61

- = Non-compliant model  
For R449A, use R448A data.

**Annual Walk-In Energy Factor Ratings - COPELAND - Low Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model: " This refrigeration system is designed and certified for use in walk-in freezer applications."

Base Unit Model TESA	Outdoor Models				Indoor Models			
	R404A R507	R407A	R448A	R407C	R404A R507	R407A	R448A	R407C
	TESA035L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4
TESA040L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESA060L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESA061L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESA075L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESA090L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESA100L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESA120L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESA130L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESA150L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESA220L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-

- = Non-compliant model  
For R449A, use R448A data.



web: [www.t-rp.com/tes](http://www.t-rp.com/tes)  
 email: [smcu@t-rp.com](mailto:smcu@t-rp.com)  
 call: 1-844-893-3222 x521

**Annual Walk-In Energy Factor Ratings - BITZER - High/Medium Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model: " This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model TESB	Outdoor Models				Indoor Models			
	R404A R507	R407A	R448A	R407C	R404A R507	R407A	R448A	R407C
TESB030H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB035H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB040H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB050H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB060H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB076H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB090H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB100H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB120H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB150H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61
TESB200H8	7.60	7.60	7.60	7.60	5.61	5.61	5.61	5.61

- = Non-compliant model  
For R449A, use R448A data.

**Annual Walk-In Energy Factor Ratings - BITZER - Low Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model: " This refrigeration system is designed and certified for use in walk-in freezer applications."

Base Unit Model TESB	Outdoor Models				Indoor Models			
	R404A R507	R407A	R448A	R407C	R404A R507	R407A	R448A	R407C
TESB030L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESB031L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESB039L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESB050L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESB060L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESB080L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESB100L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-
TESB120L 6/8	3.15	3.15	3.15	-	2.4	2.4	2.4	-

- = Non-compliant model  
For R449A, use R448A data.



web: [www.t-rp.com/tes](http://www.t-rp.com/tes)  
 email: [smcu@t-rp.com](mailto:smcu@t-rp.com)  
 call: 1-844-893-3222 x521

**Annual Walk-In Energy Factor Ratings - High/Medium Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model:  
 "This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model TQZ	Outdoor Models			
	R404A R507	R407A	R448A *	R407C
TQZA007H8	7.6	-	7.6	-
TQZA008H8	7.6	7.6	7.6	-
TQZA009H8	7.6	7.6	7.6	-
TQZA010H8	7.6	7.6	7.6	-
TQZA011H8	7.6	7.6	7.6	-
TQZA015H8	7.6	7.6	7.6	7.6
TQZA020H8	7.6	7.6	7.6	7.6
TQZA025H8	7.6	7.6	7.6	7.6
TQZA030H8	7.6	7.6	7.6	7.6
TQZA035H8	7.6	7.6	7.6	7.6
TQZA040H8	7.6	7.6	7.6	7.6
TQZA050H8	7.6	7.6	7.6	7.6
TQZA060H8	7.6	7.6	7.6	7.6

— = Non-compliant model      \* For R449A, use R448A data.

**Annual Walk-In Energy Factor Ratings - Low Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model:  
 " This refrigeration system is designed and certified for use in walk-in freezer applications."

Base Unit Model TQZ	Outdoor Models			
	R404A R507	R407A	R448A *	R407C
TQZA008L8	2.87	2.87	2.88	-
TQZA010L8	2.92	2.91	2.92	-
TQZA015L8	2.96	2.94	2.96	-
TQZA020L8	3.07	3.03	3.04	-
TQZA025L8	3.11	3.08	3.09	-
TQZA030L8	3.15	3.15	3.15	-
TQZA035L8	3.15	3.15	3.15	-
TQZA045L8	3.15	3.15	3.15	-
TQZA055L8	3.15	3.15	3.15	-
TQZA060L8	3.15	3.15	3.15	-

— = Non-compliant model      \* For R449A, use R448A data.



web: [www.t-rp.com/tqz](http://www.t-rp.com/tqz)  
 email: [smcu@t-rp.com](mailto:smcu@t-rp.com)  
 call: 1-844-893-3222 x521

COPELAND COMPRESSOR MODELS

Annual Walk-In Energy Factor Ratings - High/Medium Temperature

If a numerical value is listed in the tables below, the following statement applies to that corresponding model:  
 "This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
TMS075H8-A	7.6		7.6	7.6	7.6
TMS076H8-A	7.6		7.6	7.6	7.6
TMS080H8-A	7.6		7.6	7.6	7.6
TMS100H8-A	7.6		7.6	7.6	7.6
TMS120H8-A	7.6		7.6	7.6	7.6
TMS150H8-A	7.6		7.6	7.6	7.6
TMS200H8-A	7.6		7.6	7.6	7.6
TMD150H8-A	7.6		7.6	7.6	7.6
TMD151H8-A	7.6		7.6	7.6	7.6
TMD160H8-A	7.6		7.6	7.6	7.6
TMD200H8-A	7.6		7.6	7.6	7.6
TMD240H8-A	7.6		7.6	7.6	7.6
TMD300H8-A	7.6		7.6	7.6	7.6
TMD400H8-A	7.6		7.6	7.6	7.6

— = Non-compliant model

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
TMS075M8-A	7.6		7.6	7.6	7.6
TMS076M8-A	7.6		7.6	7.6	7.6
TMS080M8-A	7.6		7.6	7.6	7.6
TMS100M8-A	7.6		7.6	7.6	7.6
TMS120M8-A	7.6		7.6	7.6	7.6
TMS150M8-A	7.6		7.6	7.6	7.6
TMS200M8-A	7.6		7.6	7.6	7.6
TMD150M8-A	7.6		7.6	7.6	7.6
TMD151M8-A	7.6		7.6	7.6	7.6
TMD160M8-A	7.6		7.6	7.6	7.6
TMD200M8-A	7.6		7.6	7.6	7.6
TMD240M8-A	7.6		7.6	7.6	7.6
TMD300M8-A	7.6		7.6	7.6	7.6
TMD400M8-A	7.6		7.6	7.6	7.6

— = Non-compliant model

Annual Walk-In Energy Factor Ratings - Low Temperature

If a numerical value is listed in the table below, the following statement applies to that corresponding model:  
 " This refrigeration system is designed and certified for use in walk-in freezer applications."

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
TMS075L*-A	3.15		3.15	3.15	—
TMS090L*-A	3.15		3.15	3.15	—
TMS100L*-A	3.15		3.15	3.15	—
TMS120L*-A	3.15		3.15	3.15	—
TMS130L*-A	3.15		3.15	3.15	—
TMS150L*-A	3.15		3.15	3.15	—
TMS220L*-A	3.15		3.15	3.15	—
TMD150L*-A	3.15		3.15	3.15	—
TMD180L*-A	3.15		3.15	3.15	—
TMD200L*-A	3.15		3.15	3.15	—
TMD240L*-A	3.15		3.15	3.15	—
TMD260L*-A	3.15		3.15	3.15	—
TMD300L*-A	3.15		3.15	3.15	—
TMD440L*-A	3.15		3.15	3.15	—

— = Non-compliant model

web: [www.t-rp.com/tm](http://www.t-rp.com/tm)  
 email: [mdcu-lgcu@t-rp.com](mailto:mdcu-lgcu@t-rp.com)  
 call: 1-844-893-3222 x522

**BITZER COMPRESSOR MODELS**

**Annual Walk-In Energy Factor Ratings - High/Medium Temperature**

If a numerical value is listed in the tables below, the following statement applies to that corresponding model:  
 "This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
TMS060H8-B	7.6		7.6	7.6	7.6
TMS075H8-B	7.6		7.6	7.6	7.6
TMS090H8-B	7.6		7.6	7.6	7.6
TMS100H8-B	7.6		7.6	7.6	7.6
TMS120H8-B	7.6		7.6	7.6	7.6
TMS150H8-B	7.6		7.6	7.6	7.6
TMS200H8-B	7.6		7.6	7.6	7.6
TMD120H8-B	7.6		7.6	7.6	7.6
TMD150H8-B	7.6		7.6	7.6	7.6
TMD180H8-B	7.6		7.6	7.6	7.6
TMD200H8-B	7.6		7.6	7.6	7.6
TMD240H8-B	7.6		7.6	7.6	7.6
TMD300H8-B	7.6		7.6	7.6	7.6
TMD400H8-B	7.6		7.6	7.6	7.6

— = Non-compliant model

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
TMS060M8-B	7.6		7.6	7.6	7.6
TMS075M8-B	7.6		7.6	7.6	7.6
TMS090M8-B	7.6		7.6	7.6	7.6
TMS100M8-B	7.6		7.6	7.6	7.6
TMS120M8-B	7.6		7.6	7.6	7.6
TMS150M8-B	7.6		7.6	7.6	7.6
TMS200M8-B	7.6		7.6	7.6	7.6
TMD120M8-B	7.6		7.6	7.6	7.6
TMD150M8-B	7.6		7.6	7.6	7.6
TMD180M8-B	7.6		7.6	7.6	7.6
TMD200M8-B	7.6		7.6	7.6	7.6
TMD240M8-B	7.6		7.6	7.6	7.6
TMD300M8-B	7.6		7.6	7.6	7.6
TMD400M8-B	7.6		7.6	7.6	7.6

— = Non-compliant model

**Annual Walk-In Energy Factor Ratings - Low Temperature**

If a numerical value is listed in the table below, the following statement applies to that corresponding model:  
 " This refrigeration system is designed and certified for use in walk-in freezer applications."

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
TMS080L*-B	3.15		3.15	3.15	—
TMS100L*-B	3.15		3.15	3.15	—
TMS120L*-B	3.15		3.15	3.15	—
TMS130L*-B	3.15		3.15	3.15	—
TMS150L*-B	3.15		3.15	3.15	—
TMS200L*-B	3.15		3.15	3.15	—
TMD160L*-B	3.15		3.15	3.15	—
TMD200L*-B	3.15		3.15	3.15	—
TMD240L*-B	3.15		3.15	3.15	—
TMD260L*-B	3.15		3.15	3.15	—
TMD300L*-B	3.15		3.15	3.15	—
TMD400L*-B	3.15		3.15	3.15	—
TMD300L*-A	3.15		3.15	3.15	—
TMD440L*-A	3.15		3.15	3.15	—

— = Non-compliant model

web: [www.t-rp.com/tm](http://www.t-rp.com/tm)  
 email: [mDCU-IGCU@t-rp.com](mailto:mDCU-IGCU@t-rp.com)  
 call: 1-844-893-3222 x522

**COPELAND COMPRESSOR MODELS**

**Annual Walk-In Energy Factor Ratings - High/Medium Temperature**

If a numerical value is listed in the tables below, the following statement applies to that corresponding model:  
 "This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
TVS015H8-A	7.6		7.6	7.6	-
TVS020H8-A	7.6		7.6	7.6	7.6
TVS022H8-A	7.6		7.6	7.6	7.6
TVS025H8-A	7.6		7.6	7.6	7.6
TVS030H8-A	7.6		7.6	7.6	7.6
TVS035H8-A	7.6		7.6	7.6	-
TVS040H8-A	7.6		7.6	7.6	7.6
TVD030H8-A	7.6		7.6	7.6	-
TVD040H8-A	7.6		7.6	7.6	7.6
TVD044H8-A	7.6		7.6	7.6	7.6
TVD050H8-A	7.6		7.6	7.6	7.6
TVD060H8-A	7.6		7.6	7.6	7.6
TVD070H8-A	7.6		7.6	7.6	-
TVD080H8-A	7.6		7.6	7.6	7.6
TVS015M8-A	7.6		7.6	7.6	7.6
TVS020M8-A	7.6		7.6	7.6	7.6
TVS022M8-A	7.6		7.6	7.6	7.6
TVS025M8-A	7.6		7.6	7.6	7.6
TVS030M8-A	7.6		7.6	7.6	7.6
TVS035M8-A	7.6		7.6	7.6	7.6
TVS040M8-A	7.6		7.6	7.6	7.6
TVS050M8-A	7.6		7.6	7.6	7.6
TVD030M8-A	7.6		7.6	7.6	7.6
TVD040M8-A	7.6		7.6	7.6	7.6
TVD044M8-A	7.6		7.6	7.6	7.6
TVD050M8-A	7.6		7.6	7.6	7.6
TVD060M8-A	7.6		7.6	7.6	7.6
TVD070M8-A	7.6		7.6	7.6	7.6
TVD080M8-A	7.6		7.6	7.6	7.6
TVD100M8-A	7.6		7.6	7.6	7.6

— = Non-compliant model



web: [www.t-rp.com/tv](http://www.t-rp.com/tv)  
 email: [mdcu-lgcu@t-rp.com](mailto:mdcu-lgcu@t-rp.com)  
 call: 1-844-893-3222 x522



**BITZER COMPRESSOR MODELS**

**Annual Walk-In Energy Factor Ratings - High/Medium Temperature**

If a numerical value is listed in the tables below, the following statement applies to that corresponding model:  
 "This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
TVS015H8-B	7.6		7.6	7.6	-
TVS020H8-B	7.6		7.6	7.6	7.6
TVS025H8-B	7.6		7.6	7.6	7.6
TVS030H8-B	7.6		7.6	7.6	7.6
TVS035H8-B	7.6		7.6	7.6	7.6
TVS040H8-B	7.6		7.6	7.6	7.6
TVD030H8-B	7.6		7.6	7.6	-
TVD040H8-B	7.6		7.6	7.6	7.6
TVD050H8-B	7.6		7.6	7.6	7.6
TVD060H8-B	7.6		7.6	7.6	7.6
TVD070H8-B	7.6		7.6	7.6	7.6
TVD080H8-B	7.6		7.6	7.6	7.6
TVS015M8-B	7.6		7.6	7.6	-
TVS020M8-B	7.6		7.6	7.6	7.6
TVS025M8-B	7.6		7.6	7.6	7.6
TVS030M8-B	7.6		7.6	7.6	7.6
TVS035M8-B	7.6		7.6	7.6	7.6
TVS040M8-B	7.6		7.6	7.6	7.6
TVS050M8-B	7.6		7.6	7.6	7.6
TVD030M8-B	7.6		7.6	7.6	-
TVD040M8-B	7.6		7.6	7.6	7.6
TVD050M8-B	7.6		7.6	7.6	7.6
TVD060M8-B	7.6		7.6	7.6	7.6
TVD070M8-B	7.6		7.6	7.6	7.6
TVD080M8-B	7.6		7.6	7.6	7.6
TVD100M8-B	7.6		7.6	7.6	7.6

— = Non-compliant model



web: [www.t-rp.com/tv](http://www.t-rp.com/tv)  
 email: [mdcu-lgcu@t-rp.com](mailto:mdcu-lgcu@t-rp.com)  
 call: 1-844-893-3222 x522

**HIGH EFFICIENCY COPELAND COMPRESSOR MODELS**

**Annual Walk-In Energy Factor Ratings - High/Medium Temperature**

If a numerical value is listed in the tables below, the following statement applies to that corresponding model:  
 "This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
TVS016H8-A	7.6		7.6	7.6	-
TVS021H8-A	7.6		7.6	7.6	7.6
TVS023H8-A	7.6		7.6	7.6	7.6
TVS026H8-A	7.6		7.6	7.6	7.6
TVS031H8-A	7.6		7.6	7.6	7.6
TVS036H8-A	7.6		7.6	7.6	-
TVS041H8-A	7.6		7.6	7.6	7.6
TVD031H8-A	7.6		7.6	7.6	-
TVD041H8-A	7.6		7.6	7.6	7.6
TVD045H8-A	7.6		7.6	7.6	7.6
TVD051H8-A	7.6		7.6	7.6	7.6
TVD061H8-A	7.6		7.6	7.6	7.6
TVD071H8-A	7.6		7.6	7.6	-
TVD081H8-A	7.6		7.6	7.6	7.6
TVS016M8-A	7.6		7.6	7.6	-
TVS021M8-A	7.6		7.6	7.6	7.6
TVS023M8-A	7.6		7.6	7.6	7.6
TVS026M8-A	7.6		7.6	7.6	7.6
TVS031M8-A	7.6		7.6	7.6	7.6
TVS036M8-A	7.6		7.6	7.6	-
TVS041M8-A	7.6		7.6	7.6	7.6
TVS051M8-A	7.6		7.6	7.6	7.6
TVD031M8-A	7.6		7.6	7.6	-
TVD041M8-A	7.6		7.6	7.6	7.6
TVD045M8-A	7.6		7.6	7.6	7.6
TVD051M8-A	7.6		7.6	7.6	7.6
TVD061M8-A	7.6		7.6	7.6	7.6
TVD071M8-A	7.6		7.6	7.6	-
TVD081M8-A	7.6		7.6	7.6	7.6
TVD101M8-A	7.6		7.6	7.6	7.6

— = Non-compliant model



web: [www.t-rp.com/tv](http://www.t-rp.com/tv)  
 email: [mdcu-lgcu@t-rp.com](mailto:mdcu-lgcu@t-rp.com)  
 call: 1-844-893-3222 x522

**HIGH EFFICIENCY BITZER COMPRESSOR MODELS**

**Annual Walk-In Energy Factor Ratings - High/Medium Temperature**

If a numerical value is listed in the tables below, the following statement applies to that corresponding model:  
 "This refrigeration system is designed and certified for use in walk-in cooler applications."

Base Unit Model	Outdoor Models				
	R404A	R507	R407A	R448A	R407C
KVS016H8-B	7.6		7.6	7.6	-
KVS021H8-B	7.6		7.6	7.6	7.6
KVS026H8-B	7.6		7.6	7.6	-
KVS031H8-B	7.6		7.6	7.6	7.6
KVS036H8-B	7.6		7.6	7.6	-
KVS041H8-B	7.6		7.6	7.6	7.6
KVD031H8-B	7.6		7.6	7.6	-
KVD041H8-B	7.6		7.6	7.6	7.6
KVD051H8-B	7.6		7.6	7.6	-
KVD061H8-B	7.6		7.6	7.6	7.6
KVD071H8-B	7.6		7.6	7.6	-
KVD081H8-B	7.6		7.6	7.6	7.6
KVS016M8-B	7.6		7.6	7.6	-
KVS021M8-B	7.6		7.6	7.6	7.6
KVS026M8-B	7.6		7.6	7.6	7.6
KVS031M8-B	7.6		7.6	7.6	7.6
KVS036M8-B	7.6		7.6	7.6	7.6
KVS041M8-B	7.6		7.6	7.6	7.6
KVS051M8-B	7.6		7.6	7.6	7.6
KVD031M8-B	7.6		7.6	7.6	-
KVD041M8-B	7.6		7.6	7.6	7.6
KVD051M8-B	7.6		7.6	7.6	7.6
KVD061M8-B	7.6		7.6	7.6	7.6
KVD071M8-B	7.6		7.6	7.6	7.6
KVD081M8-B	7.6		7.6	7.6	7.6
KVD101M8-B	7.6		7.6	7.6	7.6

— = Non-compliant model



web: [www.t-rp.com/tv](http://www.t-rp.com/tv)  
 email: [mdcu-lgcu@t-rp.com](mailto:mdcu-lgcu@t-rp.com)  
 call: 1-844-893-3222 x522